

## TRX-4® Sport High Trail Edition™ (Model 82044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components	5117A 5180A	Ball bearings, black rubber sealed (6x12x4mm) (2) Ball bearings, black rubber sealed (6x13x5mm) (2)
8241	Axle housing, front	5100A 5103A	Ball bearings, black rubber sealed (0x13x3fifff) (2)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)	0.0071	Body (1969 Chevrolet® Blazer®)
8227	Axle mount set (complete) (front & rear) (for suspension links)		_
8228	Axle shaft, front (left)/ drive pin/ cross pin	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8229 <b>8060</b>	Axle shaft, front (right)/ drive pin/ cross pin		(includes grille, side mirrors, door handles, windshield wipers, decals, window masks)
8080	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,		window masks (includes grille, side mirrors, door handles,
	front (machined) (2) (assembled)		windshield wipers, clipless mounting, hardware) (requires
8230	Axle shaft, rear (left)	0400	#8072X inner fenders)
8231	Axle shaft, rear (right)	9133	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/ window masks (requires #8072X inner fenders)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	9131-RI K	Body, Chevrolet Blazer (1969), complete, black (painted)
0004	portal drive input gear)	3131-DER	(includes grille, side mirrors, door handles, windshield wipers,
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)		front & rear bumpers, clipless mounting) (requires #8072X inner
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)		fenders)
9283	Cable, T-lock, rear (185mm)	9112X	Body, Chevrolet Blazer (1969), complete, black (painted)
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		(includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
8256	Portal drive axle mount, rear (left & right)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)	3123	drill bit (fits #9126 or #9127 front bumpers)
	(left and right)/ 2.5x16 CS (4)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8256G	anodized) (left and right)/ 2.5x16 CS (4)  Portal drive axle mount, rear, 6061-T6 aluminum (green-	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
02300	anodized) (left and right)/ 2.5x16 CS (4)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	0445	System
	(left and right)/ 2.5x16 CS (4)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8253	Portal drive housing, inner, rear (left or right) (2)	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8251	Portal drive housing, outer (front or rear) (2)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
8064	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8257	Portal drive input gear, front/ drive pin/ cross pin	0004	(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8259	Portal drive input gear, rear	8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
8065	Portal drive input gear, rear (machined) (left or right) (requires		lights and turn signal harnesses, hardware)
	#8063 rear axle)	8090	LED light set, complete with power supply (contains headlights,
8258	Portal drive output gear, front or rear		tail lights, side marker lights, & distribution block) (fits #9111 or
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		9112 body)
02524	(2)/ 3x12 BCS (2)  Portal bounings, inner (front), 6061 T6 aluminum (obsessed group)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8)
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
	anodized) (2)/ 3x12 BCS (2)		#9112 body)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	6592	Power module, Pro Scale® Advanced Lighting Control System
	(2)/ 3x12 BCS (2)		(includes mount, communication cables, hardware)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	6591	Pro Scale® Advanced Lighting Control System (includes power
8253A	(2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	0000	module & distribution block)
0233A	anodized) (2)/ 2.5x10 CS (2)	8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		lights, side marker lights, & distribution block) (fits #9111 or
	anodized) (2)/ 2.5x10 CS (2)		9112 body)
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
	(2)/ 2.5x10 CS (2)		Control System
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
02E4A	2.5x10 CS (12)  Portal bayaings outer 6061 T6 aluminum (abarage) gray		BCS (self-tapping) (4)
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (12)		Body (1972 Chevrolet® Blazer®)
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
	2.5x10 CS (12)		grille, side mirrors, side trim, door handles, windshield wipers,
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	0420	decals, window masks)
	2.5x10 CS (12)	9130	Body, Chevrolet Blazer (1972) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles,
8255	Stub axle (portal drive) (2)		windshield wipers, clipless mounting, hardware) (requires
8255A	Stub axle, extended thread (portal drive) (2)		#8072X inner fenders)
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)	9130-	Body, Chevrolet Blazer (1972), complete, blue & white (painted)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	BLWT	(includes grille, side mirrors, door handles, windshield wipers,
	Bearings & Bushings		front & rear bumpers, clipless mounting) (requires #8072X inner
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9130-RI HE	fenders) Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)	3100-DE0E	grille, side mirrors, door handles, windshield wipers, front & rear
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		bumpers, clipless mounting) (requires #8072X inner fenders)
5115A 5116A	Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x11x4mm) (2)	9111X	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
5116A 5114A	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)		grille, side mirrors, door handles, windshield wipers, front & rear
J	(DADAL_CITITI)		bumpers, decals)

Page 2 TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Radio (Model 82044-4) Parts List	Page 2	TRX-4® Sport High Trail	Edition™: TQ 2.4 GHz Radi	o (Model 82044-4) Parts List
--	--------	-------------------------	---------------------------	------------------------------

. age Z	TRA-46 Sport High Fran Edition . 1 & 2.4 Onz Rau	•	i vavit i j i uito biot
9130-RED	Body, Chevrolet Blazer (1972), complete, red (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear	6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
	bumpers, clipless mounting) (requires #8072X inner fenders)	8135	Tail lights, left & right (assembled)/ tail light retainers, left &
9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)		right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)
9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/		(fits #8130 or 9212 series bodies)
9124	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4) Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)		Body (1979 Ford® Bronco®)
9113	Decal sheets, Chevrolet Blazer (1969 - 1972)	8010X	Body, Ford Bronco, complete (black) (includes front and rear
6593	Distribution block, Pro Scale® Advanced Lighting Control		bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset
9115	System  Door handles, left, right, and rear/ retainers (3)/ windshield		decals) (requires #8072 inner fenders)
	wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap	8078R 6593	Decal sheet, Bronco, red (fits #8010 body) Distribution block, Pro Scale® Advanced Lighting Control
9120	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight		System
0.20	housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111	8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230
8091	body) Installation kit, Pro Scale® Advanced Lighting Control System,		series bodies)
	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse	8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or
8090	lights and turn signal harnesses, hardware) LED light set, complete with power supply (contains headlights,		9230 series bodies)
0030	tail lights, side marker lights, & distribution block) (fits #9111 or	8032	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979)
9116	9112 body) Marker light housing (4)/ marker light mount (4)/ marker light		(includes mount, reverse lights harness, hardware)
9110	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS	8036	LED light set (contains headlights, tail lights, side marker lights,
0440	(self-tapping) (8)		and distribution block) (fits #8010 body, requires #8028 power supply)
9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body)	8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)
6592	Power module, Pro Scale® Advanced Lighting Control System	8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
	module & distribution block)	6592	(fits #8010 or 9230 series bodies) Power module, Pro Scale® Advanced Lighting Control System
8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail	0392	(includes mount, communication cables, hardware)
	lights, side marker lights, & distribution block) (fits #9111 or	6591	Pro Scale® Advanced Lighting Control System (includes power
6504	9112 body) Receiver communication cable, Pro Scale® Advanced Lighting	8035R	module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-
6594	Control System		150 (1979), complete with power module (contains headlights,
9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &		tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)
	lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/	8076	Control System Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS
	2.6x8 BCS (self-tapping) (4)		(24) (fits #8010 series bodies)
8130T	Body (1979 Chevrolet® Blazer®)  Body, Chevrolet Blazer (1979), complete (black) (includes grille.	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware
01301	side mirrors, door handles, windshield wipers, front & rear	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam
8130X	bumpers, decals) Body, Chevrolet Blazer (1979), complete (orange) (includes	8071	tape (2) (fits #8010 series bodies) Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series
01307	grille, side mirrors, door handles, windshield wipers, front & rear		bodies)
8130R	bumpers, decals) Body, Chevrolet Blazer (1979), complete (red) (includes grille,		Body (Mercedes-Benz® G 500®)
013UK	side mirrors, door handles, windshield wipers, front & rear	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/
0424	bumpers, decals)		window masks (includes rear body post, grille, side mirrors, door handles, windshield wipers)
8131 6593	Decal sheet, Chevrolet Blazer (1979) Distribution block, Pro Scale® Advanced Lighting Control	8812	Decals, Mercedes-Benz® G 500®
	System	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series	8813X	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens,
	bodies)		headlight (2 ea)/reflector (2)/bumperette & mounts, front (2
8134	Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits		ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825 body)
	#8130 or 9212 series bodies)	8893	Installation kit, Pro Scale® Advanced Lighting Control System,
8082	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount,		TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses,
	reverse lights harness, hardware)	0000	hardware)
8039	LED light set (contains headlights, tail lights, side marker lights,	8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power
	& distribution block) (fits #8130 series bodies, requires #8028 power supply)		supply)
8038	LED light set, complete with power supply (contains headlights,	8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
	tail lights, side marker lights, & distribution block) (fits #8130 series bodies)	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers,
8133X	Mirrors, side (folding) (fits #8130 series bodies)		left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 series bodies)	6592	(self-tapping) (3) Power module, Pro Scale® Advanced Lighting Control System
6592	Power module, Pro Scale® Advanced Lighting Control System	CEO4	(includes mount, communication cables, hardware)
6591	(includes mount, communication cables, hardware)	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
0031	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®,
8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck		complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)
	(1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or	6594	Receiver communication cable, Pro Scale® Advanced Lighting
	9212 series bodies)	8822	Control System  Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS
			(4)

	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS	8121G	Traction boards, green/ mounting hardware
8814X	(self-tapping) (2) Tail light lens (2)/ tail light housing (2)/ tail light housing mount	<b>8121A</b> 8121	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware
	(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)		Body Accessories
	Body (Tactical Unit)	1926	Antenna caps, vinyl (2)/ antenna spool
	Body, Tactical Unit, night camo (painted)/ decals	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	Fender brace, inner, front & rear Fender flares, front & rear (2 each) (fits #8011 or #8211 series	1834	Body Clips (12) (standard size)
	bodies)	1834A	Body clips, black (12) (standard size)
	Fenders, inner, front & rear (2 each)/ rock light covers (8)	3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8215	Body mounts & posts, front & rear (complete set)
	#8011 series bodies)	8115	Body posts, front & rear
021	Spare tire mount/ mounting bracket/ screw pins (2)	4915	Body washers, foam adhesive (10)
	Body (TRX-4® Sport)	2514	Decal sheet, racing sponsors
112	Body with camper, TRX-4® Sport (clear, trimmed, requires	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
	painting)/window masks/ decal sheet	0000	narrow inner fenders)
213	Body, TRX-4® Sport (clear, trimmed, die-cut for clipless	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 C
444D	mounting, requires painting)/ window masks/ decal sheet		(10)
111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ batte
111	Body, TRX-4® Sport (clear, trimmed, requires painting)/		plate/ 3x8 flathead screws (4)
	window masks/ decal sheet	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
213-BLUE	Body, TRX-4® Sport, complete, blue (painted, decals applied)		<b>Bumpers &amp; Skidplates</b>
	(includes grille, side mirrors, door handles, windshield wipers,	8234-GRN	Bumper D-rings, green (front or rear)/ 2.0x12 CS (4)
	expedition rack, & clipless mounting) (requires #8080X inner	8234 8234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)
	fenders)	8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
3213-GRAY		8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
	(includes grille, side mirrors, door handles, windshield wipers,	8237	Bumper mounts, front & rear/ screw pins (4)
	expedition rack, & clipless mounting) (requires #8080X inner	8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
3213-RED	fenders) Body, TRX-4® Sport, complete, red (painted, decals applied)	8866	Bumper, front, winch, TRX-4® Sport (includes bumper mount, D-
213-KED	(includes grille, side mirrors, door handles, windshield wipers,	0000	Rings, fairlead, hardware) (fits TRX-4® Sport with 8855 winch)
	expedition rack, & clipless mounting) (requires #8080X inner		(191mm wide)
	fenders)	8235	Bumper, front/ winch/ 2.6x8 BCS (1)
113	Decal Sheet, TRX-4® Sport	8236	Bumper, rear
593	Distribution block, Pro Scale® Advanced Lighting Control	8125	Bumper, rear (176mm wide)
	System	8238	Skidplate/ lower gear cover
120R	Expedition rack, complete (includes traction boards, shovel, axe,		Chassis & Attachments
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111,	8215	Body mounts & posts, front & rear (complete set)
	8111R, or 8213 series bodies)	8115	Body posts, front & rear
3120A	Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
3422-BLK	series bodies)	0224	BCS (5)/ 2.5x8 CS (2)
422-BLK 422	Fire extinguisher, black (2)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
3116	Fire extinguisher, red (2)  Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits		(includes rear upper & lower suspension links, front & rear inne
7110	#8111 or #8112 body)		fenders, short female half shaft, battery tray, 3x8mm FCS (4))
3212	Hood vents (left & right)/ retainers (left & right) (for clipless body	8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
	mounting) (attaches to #8213 series bodies)		(includes rear upper & lower suspension links, front & rear
8083	Installation kit, Pro Scale® Advanced Lighting Control System,	0000	shock towers, long female half shaft)
	TRX-4® Sport (includes mount, rear lens, reverse lights and	8220	Chassis rails, 448mm (steel) (left & right)
	turn signal harnesses, hardware)	8218 <b>8224X</b>	Floor pans, left & right  Receiver box cover (for use only with #8224 receiver box &
3023	Jack (1)/ 2x8 BCS (1)	0224X	#2260 BEC)/ foam pads/ seals/ silicone grease
3023T	Jack (black) (1)/ 2x8 BCS (1)	8219	Rock sliders, left & right
216	Latch, body mount (2)/ 3x8 BCS (8)	8225	Seal kit, receiver box (includes o-ring, seals, and silicone
086	LED expedition rack scene light kit (fits #8111 body, requires	00	grease)
8084	#8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
	#8028 power supply)	8239	Servo mount, steering/ chassis crossmember
8088	LED light bar, front bumper (fits #8866 front bumper, requires	8216	Shock towers, front & rear (left & right)
	#8028 power supply)	8226	Tray, battery
3087	LED light bar, roof lights (fits #8111 body, requires #8028		Differential Components
0005	power supply)	8281	Carrier, differential/ differential slider/ T-Lock fork
8085	LED light set, complete with power supply (contains	8280A	Differential cover, front or rear (black)
	headlights, tail lights, & distribution block) (fits #8111 or #8112 body)	8280X	Differential cover, front or rear (chrome plated)
3119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or	8280-GRN	Differential cover, front or rear (green)
סווט	#8112 body)	8280	Differential cover, front or rear (grey)
592	Power module, Pro Scale® Advanced Lighting Control System	8280R	Differential cover, front or rear (red)
	(includes mount, communication cables, hardware)	8195	Differential, locking, front and rear (assembled) (includes T-Loc
591	Pro Scale® Advanced Lighting Control System (includes	0000	cables and servos)
	power module & distribution block)	8282	Gear set, differential (output gears (2), spider gears (4), spider
085X	Pro Scale® LED light set, TRX-4® Sport, complete with power	9205	gear shaft (2)) Output drive, transmission or differential (nin retainer (1)) drive cup
	module (contains headlights, tail lights, & distribution block)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(fits #8111 or #8112 body)		(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
594	Receiver communication cable, Pro Scale® Advanced Lighting	8279	(1) 3x6 BCS with threadlock (1))
400 DI 17	Control System	8279R	Ring gear, differential/ pinion gear, differential  Ring gear, differential/ pinion gear, differential (machined)
122-BLK	Shovel/ axe (black)/ accessory mount/ mounting hardware	8279R 8287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive,
3122	Shovel/ axe/ accessory mount/ mounting hardware	0401	machined)
3118	Spare tire mount/ mounting hardware	8288	Ring gear, differential/ pinion gear, differential (underdrive,
3117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens	3200	machined)
,,,,,			
8121X	(2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)  Traction boards, blue/ mounting hardware	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with

Page 4 TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Radio (Model 82044-4) Parts List

2250	Driveline Components	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power sup and #8018, #8072, or #8080 inner fenders)
3250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
3255	Stub axle (portal drive) (2)	6591	Pro Scale® Advanced Lighting Control System (includes power
255A	Stub axle, extended thread (portal drive) (2)		module & distribution block)
3269 3 <b>269X</b>	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (t
269A	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)	6594	#8111 or #8112 body) Receiver communication cable, Pro Scale® Advanced Lighting
269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/		Control System  Long Arm Lift Kit
3269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/	8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use
	3x10 screw pin (4) Hardware	8162R	#8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	8162	with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140
1834	Body Clips (12) (standard size)		TRX-4® Long Arm Lift Kit)
834A	Body clips, black (12) (standard size)	8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
934	Body clips, heavy duty (12)	8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long
<b>934A</b> 859	Body clips, heavy duty (black) (12)	9283	Arm Lift Kit) Cable, T-lock, rear (185mm)
167X	CS 3x10 flathead (hex drive) Hardware kit, stainless steel, beadlock rings (contains stainless	9203 <b>8150</b>	Driveshaft extension kit, center (includes internal splined, x-lo
1077	steel hardware for 4 wheels)	0130	(2), internal splined, long (1) and internal splined, medium (1))
3298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel		(for use with TRX-4® Long Arm Lift Kit)
	hardware used on TRX-4®)	8140	Long arm lift kit, TRX-4®, complete
151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all	8140X	Long arm lift kit, TRX-4®, complete (includes blue powder
	stainless steel hardware used on TRX-4® High Lift Kit)		coated links, blue-anodized shocks)
476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	8140R	Long arm lift kit, TRX-4®, complete (includes red powder coate
747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	04.40	links, red-anodized shocks)
6 <b>47</b> 347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)	8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)
747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with
747T	Nuts, aluminum, flanged, serrated (4mm) (green-unouzed) (4)		TRX-4® Long Arm Lift Kit)
985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without
221	Screw pin, 3x10mm (6)		springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
523	Screws, 2.5x10 countersunk machine (hex drive) (6)	8160R	Shocks, GTS, aluminum (red-anodized) (assembled without
229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	0400	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
236	Screws, 2.5x12mm cap-head machine (6)	8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for
2618	Screws, 2.5x16mm cap-head machine (6)	8153	use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	0100	stripe) (for use with TRX-4® Long Arm Lift Kit)
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)	8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)		stripe) (for use with TRX-4® Long Arm Lift Kit)
965	Screws, 2.5x8mm cap-head machine (6)	8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with
3299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)		TRX-4® Long Arm Lift Kit)
3167 2564	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green
2577	Screws, 2x8mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)	0455	stripe) (for use with TRX-4® Long Arm Lift Kit)
.57 <i>1</i> 2578	Screws, 3x12mm button-head machine (hex drive) (6)	8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue strip
2579	Screws, 3x15mm button-head machine (hex drive) (6)	8146X	(for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard linl
2591	Screws, 3x23mm button-head machine (hex drive) (6)	01407	5x63mm (blue powder coated steel) (assembled with hollow
2581	Screws, 3x25mm button-head machine (hex drive) (6)		balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
2616	Screws, 3x27mm button-head machine (hex drive) (6)	8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard linl
582	Screws, 3x30mm button-head machine (hex drive) (6)		5x63mm (red powder coated steel) (assembled with hollow bal
2575	Screws, 3x6mm button-head machine (hex drive) (6)		(for use with #8140R TRX-4® Long Arm Lift Kit)
932	Screws, 3x6mm flat-head machine (hex drive) (6)	8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated
2576	Screws, 3x8mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140X TRX-
931	Screws, 3x8mm flat-head machine (hex drive) (6)	9144D	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated
3933	Screws, 4x16mm button-head machine (hex drive) (6)	8144R	steel) (assembled with hollow balls) (for use with #8140R TRX-
	LED Light Accessories		Long Arm Lift Kit)
031	3-in-1 wire harness, LED light kit	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with
1089	4-in-2 wire harness, LED light kit	0111	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
593	Distribution block, Pro Scale® Advanced Lighting Control	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with
	System		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
083	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn	8143X	Suspension links, front lower, blue (2) (5x104mm, powder coat steel) (assembled with hollow balls) (for use with #8140X TRX-
	signal harnesses, hardware)		Long Arm Lift Kit)
086	LED expedition rack scene light kit (fits #8111 body, requires	8143R	Suspension links, front lower, red (2) (5x104mm, powder coate
	#8028 power supply)		steel) (assembled with hollow balls) (for use with #8140R TRX-
084	LED headlight/tail light kit (fits #8111 or #8112 body, requires	Q1 <i>1E</i>	Long Arm Lift Kit) Suspension links, rear lower (2) (5x115mm, steel) (assembled with
	#8028 power supply)	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow halls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	LED light bar, front bumper (fits #8866 front bumper, requires	8145X	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)  Suspension links, rear lower, blue (2) (5x115mm, powder coate
880	40000	UITON	
	#8028 power supply)		Steel) (assembled with hollow balls) itor lise with #x140 x 1 R x-
	LED light bar, roof lights (fits #8111 body, requires #8028 power		steel) (assembled with hollow balls) (for use with #8140X TRX- Long Arm Lift Kit)
3088 3087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)	8145R	steel) (assembled with nollow balls) (for use with #6140X TRA- Long Arm Liff Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated
	LED light bar, roof lights (fits #8111 body, requires #8028 power supply) LED light set, complete with power supply (contains headlights,	8145R	Long Arm Lift Kit)
8087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)	<b>8145R</b> 8142	Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated

Page 5	TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Rad	io (Mode	l 82044-4) Parts List
8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated	8860	Spool shaft assembly, winch
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8861	Spool, winch
8142R	Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated	8855	Winch kit with wireless controller, TRX-4® and TRX-6®
014210	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8856 8857	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote) Wireless remote, winch, TRX-4® and TRX-6®
	Long Arm Lift Kit)	0007	
8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	00007	Radio System, Batteries & Chargers
	2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)	2823X 2820X	1400mah 11.1v 3-Cell 25C LiPo Battery 2200mah 7.4v 2-Cell 25C LiPo Battery
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels,	2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
	Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front	2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
0404	(2), rear (2)) (requires #8255A extended thread stub axle)	2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)	2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	2869X 2914	7600mah 7.4v 2-Cell 25C LiPo Battery Battery, Power Cell AA Alkaline (4)
8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black	2976	AC to DC adapter
04744	chrome, beadlock) (beadlock rings sold separately)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)		batteries to separate balance ports)
8180	Wheels, TRX-4® Sport 2.2 (2)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	Motors & Electronics	<b>2943</b> 6548	Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
1926	Antenna caps, vinyl (2)/ antenna spool	0040	transmitter)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	00007	LiPo batteries)
00044	(includes receiver box cover and seals)	2923X 2940X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2064A <b>2064R</b>	Gear set (for 2065A waterproof sub-micro servo)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2004K 2072X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2252	Gear set, metal (for 2250, 2255 servos)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)	2992	Battery(charger completer pack (includes #2970 iD® charger (1),
8290A 8290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)		#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
8290R	Motor mount plate, 6061-T6 aluminum (green-anodized)  Motor mount plate, 6061-T6 aluminum (red-anodized)	2994	Battery/charger completer pack (includes #2970 iD® charger (1),
3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)	2991	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
8290	Plate, motor/ upper spur gear cover	2991	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)		(includes receiver box cover and seals)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2975 2972	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2271	Servo case/ gaskets (for 2270 waterproof servo)	2912	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro		Battery Identification
2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
20007	servo)	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
5669	Servo horn (with built-in spring and hardware) (for Summit		Identification
207ED	locking differential)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),	CESE	Battery Identification
2200	waterproof (#2262 external BEC and #8247X metal servo horn	6525 6512	Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module
	recommended for optimal performance)	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2064A	Gear set (for 2065A waterproof sub-micro servo)
	bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	2072X <b>2252</b>	Gear set, metal (for 2070, 2075 servos)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2272	Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)
2065A	Servo, sub-micro, waterproof	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
<b>2065R</b> 3025	Servo, sub-micro, waterproof, metal gear XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
5020	detection, fwd/rev/brake)	2069	Traxxas® iD® batteries)
2261	Y-harness, BEC	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
	Pro Scale® Winch & Accessories	6561	Mount, telemetry expander
8867	Bumper, front, winch, medium (includes bumper mount, D-	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
	Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979	0540	pad
9950	Blazer with 8855 winch) (217mm wide)	6519 <b>6533</b>	Receiver, micro, TQ 2.4GHz (3-channel)  Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
8859 8870X	Fairlead, winch Fairlead, winch, aluminum (blue-anodized) (use with front	6552	Seal kit, expander box (includes o-ring, seals, and silicone
00.01	bumpers #8865, 8866, 8867, 8869, or 9224)		grease)
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front	6526	Sensor, auto-detectable, temperature
00700	bumpers #8865, 8866, 8867, 8869, or 9224)	6527	Sensor, auto-detectable, voltage
8870G	Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)	6521 2254	Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
8870T	Fairlead, winch, aluminum (orange-anodized) (use with front	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
	bumpers #8865, 8866, 8867, 8869, or 9224)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
8870R	Fairlead, winch, aluminum (red-anodized) (use with front		2250, 2255 servos)
8862	bumpers #8865, 8866, 8867, 8869, or 9224) Gearmotor, winch	2271	Servo case/ gaskets (for 2270 waterproof servo)
8863	Hook, winch (steel)/ line retainer/ washer	2063A <b>2063R</b>	Servo case/gaskets (for 2065A waterproof sub-micro servo)  Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8858	Housings (front & rear), winch/ decal		servo)
8864X	Line, winch (blue)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864	Line, winch (gray)		servo)

Page 6	TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Rad	io (Mode	el 82044-4) Parts List
2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),	8260A	Shocks, GTS, blue-anodized (assembled with spring retainers) (2)
	waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)	8260G	Shocks, GTS, green-anodized (assembled with spring retainers) (2)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo	8260R 8260	Shocks, GTS, red-anodized (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers)
2270	horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof		Slipper Clutch Components
2075X 2065A	Servo, digital high-torque, metal gear (ball bearing), waterproof	8292	Input shaft/ output shaft (transmission)
2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear	8286	Output shafts (transfer case), front & rear
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	8249	(1)/ spring washers (2)) Slipper eliminator plate
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)		Springs
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	8041 8040	Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2)
6507R	enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
0307K	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro	8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
	receiver)	8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-		Spur Gears & Pinion Gears
6511	channel (transmitter only) Traxxas® Link Bluetooth® module	6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
2261	Y-harness, BEC	6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
	Ready-To-Race Model	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
82044-4	TRX-4 Sport High Trail Edition: 4WD Electric Truck with TQ™	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)
	2.4GHz Řadio Šystem	3944X	(fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)
0.4000	Scale Details	20.457	(fits 3mm shaft)/ set screw
8120R	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111, 8111R,	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
8120A	or 8213 series bodies) Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213	3917 <b>3946X</b>	Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)
	series bodies)		(fits 3mm shaft)/ set screw
8422-BLK 8422	Fire extinguisher, black (2) Fire extinguisher, red (2)	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
8022T	Fuel canisters (black) (2)/ screw pin	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)
8022R	Fuel canisters (blue) (2)/ screw pin		(fits 3mm shaft)/ set screw
8022-GRN	Fuel canisters (green) (2)/ screw pin	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)
8022	Fuel canisters (red) (2)/ screw pin	3950X	(fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)
8022X 8022A	Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin	3330X	(fits 3mm shaft)/ set screw
8023	Jack (1)/ 2x8 BCS (1)	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)
8023T	Jack (black) (1)/ 2x8 BCS (1)	20507	(fits 3mm shaft)/ set screw
8122-BLK	Shovel/ axe (black)/ accessory mount/ mounting hardware	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
8122	Shovel/ axe/ accessory mount/ mounting hardware	6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
<b>8121X</b> 8121G	Traction boards, blue/ mounting hardware Traction boards, green/ mounting hardware	8052	Spur gear, 39-tooth (32-pitch)
8121A	Traction boards, yellow/ mounting hardware	8053	Spur gear, 45-tooth (32-pitch)
8121	Traction boards/ mounting hardware		Steering Components
	Shock Oil	8232	Caster blocks (portal drive), left & right
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	8232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	8232R	Caster blocks, 6061-T6 aluminum (green-anodized), left and right
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	2072X	Gear set, metal (for 2070, 2075 servos)
5036 5037	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
5029	Shock oil bottle (60cc) (for mixing shock oil)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
=000	80 wt premium shock oils with spinning carousel rack)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
5038	Spinning carousel rack		(4))
	Shocks (GTS)	8276	Rod ends (10)
8266A	Body, GTS shock (aluminum, blue-anodized) (1)	8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)
8266G 8266B	Body, GTS shock (aluminum, green-anodized) (1)  Body, GTS shock (aluminum, red-anodized) (1)	8278	Rod ends, long (o) Hollow ball conflectors (o) Rod ends, offset (4)
8266R 8266	Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1)	8247X	Servo horn, steering, metal/ 3x14 BCS (1)
8266X	Body, GTS shock (ardining in silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)/	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
5475	Multi-tool (plastic)	007511	bearing), waterproof
8261	Piston, damper (red) (4)/ e-clips (8)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4).
8263	Shock shaft, 3x47mm (GTS) (2)	8246 <b>8243</b>	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)
8263T 8260Y	Shocks Shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

	Suspension Linkage	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8058	Chassis conversion kit, TRX-4® (long to short wheelbase)		3x10 screw pin (4)
0050	(includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
	(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)	8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	0474	gray, beadlock) (beadlock rings sold separately)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8276	Rod ends (10)	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8277	Rod ends, angled 10-degrees (8)	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift
2742	Rod ends, long (6)/ hollow ball connectors (6)		Kit)
8278 5529	Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8271	Wheels, TRX-4® 1.9 (2)
0020	captured (4)	8271X 8178	Wheels, TRX-4® 1.9 (satin beadlock) (2) Wheels, TRX-4® Sport 1.9 (2)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)		Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8180-GRN	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)
8248 8245	Suspension link, rear, 5x109mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)
0240	Team Traxxas Items	8268	Wheels, TRX-4® Tactical 1.9 (2)
2514			Transmission Components
9950	Decal sheet, racing sponsors Official Team Traxxas® racing decal set(flag logo/ 6-color)	8283	Cable, T-lock (front)
9909	Traxxas® racing banner, red & black (3x7 feet)	8284 8289	Cable, T-lock (rear) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
	Tires & Wheels	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)		output gear, 2x9.8 pins (5))
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	8291	Gearbox housing (includes main housing, front housing, & cover)
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	8285	Gears, transfer case (3) Grease, premium high performance (20cc)
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	5041 <b>8292</b>	Input shaft/ output shaft (transmission)
8169G 8168G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	<b>8290R</b> 8295	Motor mount plate, 6061-T6 aluminum (red-anodized)  Output drive, transmission or differential (pin retainer (1)/ drive cup
8168	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)	0293	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)		(1) 3x6 BCS with threadlock (1))
8164X	Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A	8294	Output gear, high range, 24T (metal)
	extended stub axle)	8286 8290	Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover
8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,	8249	Slipper eliminator plate
	foam inserts) (1 left, 1 right)	8296	Transmission gears, single speed, metal
8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8196	Two speed conversion kit
	1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)		Traxxas Tools
8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	3433X	Body reamer (aluminum handle)
	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	3433 3436	Body reamer (plastic handle)
0404	#8255A extended thread stub axle)	3432	Cap, body reamer Scissors, curved tip
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front	3431	Scissors, straight tip
	(2), rear (2)) (requires #8255A extended thread stub axle)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8272X	Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock		and 8.0mm), 1/4" drive
OZIZX	wheels, Canyon Trail 4.6x1.9" tires) (2)	8720	Speed bit handle, large (overmolded)
8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon	8721	Speed bit handle, medium (one piece)
0470	Trail 4.6x1.9" tires) (2)	8722 8710	Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	0710	premium handle (medium), travel pouch, hex drivers (straight:
8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
8181-GRN	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green		8.0mm), 1/4" drive
	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
8172	Tires and wheels, assembled (Method 105 2.2™ black chrome	0740	2.5mm, 3.0mm), 1/4" drive
	beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
8181	left, 1 right) (for use with TRX-4 Long Arm Lift Kit)  Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels,  Capuan Trail 5.22.2™ the Capuan with TRY 4.1 and Arm	8716	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
	Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit)		drive
8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4	074 <i>E</i>	3.0mm) 1/4" drive
8269	Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
	anodized) (4)/ 3x10 screw pin (4)		· ······po and in a company in a company

## Page 8 TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Radio (Model 82044-4) Parts List

2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)

wrench)
3415 Tool set with pour

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, 40 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM