



Slash (Model 58034-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 6965 Body, Slash® 4X4 (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)**
- 6932-GRN Body, Slash® 4X4, green (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
- 6932L Body, Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ body mount latch (front & rear)/ latch mounts/ decal sheet**
- 6932-RED Body, Slash® 4X4, red (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
- 2514 Decal sheet, racing sponsors**
- 5813 Decal sheet, Slash**
- 6966 Latch mounts/ retainers (front & rear, left & right)
- 6967 Latch, body mounts (front & rear)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)**
- 5846 Paint masks, body**

Chassis & Attachments

- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
- 5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool**
- 9463X Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463 Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463G Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463A Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463P Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463R Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 6940 Body mounts, front & rear
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
- 5835X Bumper, front/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
- 5835 Bumper, front/ bumper mount, front (black)
- 5835P Bumper, front/ bumper mount, front (pink)**
- 5838 Bumper, rear/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
- 5836 Bumper, rear/ bumper mount, rear (black)
- 5836P Bumper, rear/ bumper mount, rear (pink)**
- 5830 Chassis conversion kit, low CG (Slash®)**
- 5832 Chassis, low CG (black)**
- 5832A Chassis, low CG (blue)**
- 5832G Chassis, low CG (grey)**
- 5822 Chassis, Slash
- 5822A Chassis, Slash (black)**
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 5831 Lower chassis, low CG (black)**
- 5831A Lower chassis, low CG (blue)**
- 5831G Lower chassis, low CG (grey)**
- 5823 Nerf bars, chassis (black)
- 5833 Nerf bars, low CG (black)**
- 5833A Nerf bars, low CG (blue)**
- 5833G Nerf bars, low CG (grey)**
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9462X Side plates, wheelie bar, blue (aluminum) (2)**
- 9462 Side plates, wheelie bar, charcoal gray (aluminum) (2)**
- 9462G Side plates, wheelie bar, green (aluminum) (2)**
- 9462A Side plates, wheelie bar, orange (aluminum) (2)**
- 9462P Side plates, wheelie bar, pink (aluminum) (2)**
- 9462R Side plates, wheelie bar, red (aluminum) (2)**

- 5837 Skidplates, front & rear (black)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677X Wheelie bar mount (1) / hardware (blue)**
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 9464 Wheelie bar mount (heavy duty)**
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash®, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount**
- 9460X Wheelie bar, black chrome (assembled)/ wheelie bar mount**
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461T Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461 Wheels, wheelie bar, black (26mm (2), 18mm (2))**

Differential Components

- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
- 1647 Silicone Grease

Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 9059X Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
- 9057X Differential output shafts, steel-splined constant-velocity (2)**
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)**
- 6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 9052X Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6750 Half shaft, external splined (steel-spline constant velocity) (1)**
- 9055X Half shaft, external splined (steel-spline constant velocity) (1)**
- 6751 Half shaft, internal splined (steel-spline constant velocity) (1)**
- 9056X Half shaft, internal splined (steel-spline constant velocity) (1)**
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**

Page 2 Slash: TQ™ 2.4GHz Radio (Model 58034-8) Parts List

- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 9058X** **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
- 6757** **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A** **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G** **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652T** **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3652P** **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X** **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 9053X** **Stub axle, rear, steel-splined constant velocity (1)**
- 6753** **Stub axle, rear, steel-splined constant velocity (1)**
- 2753X Stub axles, rear (2)
- 6853X** **Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

- 3637 Axles (front) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2530** **Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A** **Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632G** **Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632T** **Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632P** **Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632X** **Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 3744 Servo saver w/ adapters
- 3639 Shock tower (front)
- 3743 Steering bellcranks (l&r) draglink
- 3743A** **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743G** **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743T** **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743P** **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743X** **Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 6845X** **Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering**
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A** **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3636G** **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3636T** **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3636P** **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3636X** **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 3631 Suspension arms (front) (2)
- 3631X** **Suspension arms, black, front, heavy duty (2)**
- 3631A** **Suspension arms, blue, front, heavy duty (2)**
- 3631G** **Suspension arms, green, front, heavy duty (2)**
- 3631T** **Suspension arms, orange, front, heavy duty (2)**
- 3631R** **Suspension arms, red, front, heavy duty (2)**
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 2532 Tie bar, fiberglass
- 1935 Turnbuckles, 36mm (2)
- 3139A** **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

- 3139G** **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139T** **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139P** **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139X** **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

- 1926** **Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A** **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 4859 CS 3x10 flathead (hex drive)
- 1589 Double-sided adhesive tape (25mm x 25mm)
- 1633 E-clips/ C-rings
- 2745 Nuts, 3mm nylon locking (12)
- 1747P** **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747R** **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G** **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747T** **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
- 1747A** **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18 button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
- 3642X** **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
- 2754 Stub axle pins (4)
- 2746** **Washers, 3x6mm metal (12)**

LED Lights

- 3690** **LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)**
- 5893** **LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)**
- 5894** **LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Slash®)**
- 2263** **Y-harness, BEC to LED light set**

Motors & Electronics

| | |
|-------|--|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 3790 | Gear adapter, fixed |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2272 | Gear set, metal (for 2270 waterproof servo) |
| 3785 | Motor, Titan® 12T (12-Turn, 550 size) |
| 3351R | Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2271 | Servo case/ gaskets (for 2270 waterproof servo) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) |
| 3355R | VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Radio System, Batteries & Chargers

| | |
|---------|--|
| 2827X | 3000mah 7.4v 2-Cell LiPo Battery |
| 2842X | 5000mah 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mah 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mah 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC adapter |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) |
| 5526 | Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool |
| 5526R | Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool |
| 2943 | Battery charge indicators, green (4), grey (4), blue (4) |
| 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2985-2S | Battery/charger completer pack (includes #2985 USB-C NiMH/LiPo iD® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) |
| 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 2975 | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification |
| 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification |
| 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 2985 | Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification |
| 2982 | Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) |
| 6525 | Communication link, telemetry expander |
| 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2272 | Gear set, metal (for 2270 waterproof servo) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |

| | |
|-------|--|
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6554X | Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 2912 | Power adapter, AC, USB-C (45W) |
| 2916 | Power cable, USB-C, 100W (high output) |
| 6519 | Receiver, micro, TQ 2.4GHz (3-channel) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2271 | Servo case/ gaskets (for 2270 waterproof servo) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6553X | Telemetry Expander 2.0 and GPS module 2.0, TQi radio system |
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) |
| 6528 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas® Link Bluetooth® module |
| 3355R | VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) |
| 6537 | Wire retainers, gear cover/ 3x4mm BCS (2) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Ready-To-Race Model

| | |
|---------|--|
| 58034-8 | Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ™ 2.4GHz radio system |
|---------|--|

Rear Suspension

| | |
|-------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 1951 | Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4) |
| 3638 | Shock tower (rear) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) |
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3652T | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2753X | Stub axles, rear (2) |
| 2555 | Suspension arms, (rear) (2) |
| 2555X | Suspension arms, black, rear, heavy duty (2) |
| 2555A | Suspension arms, blue, rear, heavy duty (2) |
| 2555G | Suspension arms, green, rear, heavy duty (2) |
| 2555T | Suspension arms, orange, rear, heavy duty (2) |
| 2555R | Suspension arms, red, rear, heavy duty (2) |

Page 4 Slash: TQ™ 2.4GHz Radio (Model 58034-8) Parts List

- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
 5029 Shock oil bottle (60cc) (for mixing shock oil)
 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
 5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)
 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 2667 Shock caps, aluminum (2) (Big Bore Shocks)
 2362 Shock rebuild kit (for 2 shocks)
 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
 1765 Silicone diaphragms (4)
 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

Shocks (Ultra Shocks)

- 3765A Body, Ultra Shock (long) (grey) (2)
 3766A Body, Ultra Shock (XXL) (grey) (2)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 3767 Shock caps (2)/ shock bottoms (2)
 8361 Shock caps (black) (4) (assembled with hollow balls)
 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
 2362 Shock rebuild kit (for 2 shocks)
 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
 1765 Silicone diaphragms (4)
 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
 2458P Springs (front) (pink) (2)
 2458A Springs (front) (white) (2)
 3757T Springs, blue (rear) (2)
 2458 Springs, front (black) (2)
 5857P Springs, front (pink) (progressive rate) (2)
 5857 Springs, front (white) (progressive rate) (2)
 3757A Springs, green (rear) (2)
 3757P Springs, pink (rear) (2)
 3757 Springs, rear (black) (2)

- 5858P Springs, rear (pink) (progressive rate) (2)
 5858 Springs, rear (white) (progressive rate) (2)
 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
 3757X Springs, white (rear) (2)
 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
 2554 Screws, 3x6mm caphead machine (hex drive) (6)
 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
 2416 Gear, 16-T pinion (48-pitch) / set screw
 1918 Gear, 18-T pinion (48-pitch) / set screw
 2419 Gear, 19-T pinion (48-pitch) / set screw
 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw
 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

- 2728 Ball bearings (5x8x2.5mm) (2)
 2545 Bushings (plastic) (5x8x2.5mm) (4)
 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
 2742 Rod ends, long (6)/ hollow ball connectors (6)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 3744 Servo saver w/ adapters
 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
 3743 Steering bellcranks (l&r)/ draglink
 3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
 3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
 3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
 3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
 3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
 6845X Steering bellcranks/ servo saver/ servo spring/ servo spring retainer/servo horn, steering
 1935 Turnbuckles, 36mm (2)
 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
 2746 Washers, 3x6mm metal (12)

Suspension Linkage

- 5525 Rod ends (12)/ hollow balls (12)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)

Page 5 Slash: TQ™ 2.4GHz Radio (Model 58034-8) Parts List

| | | | |
|---------------------------|---|-------|--|
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) | 5882 | Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) |
| 2640 | Suspension pins, 44mm (2) w/ E-clips | | |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) | 6874 | Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5885A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5883A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5885 | Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5883 | Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5877A | Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) | 5877 | Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD Front) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) | 5864 | Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD Front) |
| Team Traxxas Items | | | |
| 2514 | Decal sheet, racing sponsors | | |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) | | |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) | 5865 | Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only) |
| Tires & Wheels | | | |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | | |
| 5854 | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) | 6876 | Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) | 5873X | Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) | | |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) | 5869A | Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | 5867A | Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) | | |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) | 5891 | Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 6873 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 1647 | Silicone Grease | 5875 | Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front) |
| 2754 | Stub axle pins (4) | 5873 | Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated) |
| 5882R | Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) | 5873A | Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) |
| 6874R | Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only) | 5873R | Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R) |
| 5877R | Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front) | 6871 | Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 6873R | Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) | 6871R | Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 6873X | Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) | 6870 | Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 5869 | Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front) | 6870R | Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 5867 | Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2)(4WD front/rear, 2WD rear only) | 5871 | Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) |
| 5881X | Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only) | 5871R | Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) |
| 5880X | Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) | 3654 | Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2) |
| 5881 | Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) | 1654 | Wheel hubs, hex (rear) (2)/ stub axle pins (2) |
| 5880 | Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) | 5853X | Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD) |
| 5875X | Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) | 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5878 | Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only) | 5480X | Wheel wrench, splined, 17mm |
| 6873A | Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) | 5868A | Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) |

Page 6 Slash: TQ™ 2.4GHz Radio (Model 58034-8) Parts List

- 5870A **Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)**
- 5868 **Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)**
- 5870 **Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)**
- 5874 **Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)**
- 5872 **Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)**
- 5874X **Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)**
- 5872X **Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)**
- 5874A **Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2)**
- 5886A **Wheels, SCT split-spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)**
- 5884A **Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)**
- 5886 **Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)**
- 5884 **Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)**
- 6872X **Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)**
- 6872A **Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)**
- 5876 **Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)**
- 6872 **Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)**
- 5870X **Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)**
- 5868X **Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)**
- 5866 **Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)**
- 6875 **Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) c**

- 8721 **Speed bit handle, medium (one piece)**
- 8722 **Speed bit handle, premium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
- 2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

- 5525 **Rod ends (12)/ hollow balls (12)**
- 5347 **Rod ends, Revo® (large) with hollow balls (12)**
- 3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3644 **Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)**
- 3745 **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**

Transmission Components

- 5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 3792 **Cover, gear/ rubber gear cover plug/ 3x6 RM (2)**
- 3790 **Gear adapter, fixed**
- 3691 **Gearbox halves (L&R) (black) w/ idler gear shaft**
- 3691A **Gearbox halves (L&R) (grey) w/ idler gear shaft**
- 5148 **Grease, white lithium**
- 9492 **Idler gear, 30-tooth/ idler gear shaft (steel)**
- 3696 **Idler gear, steel (30-tooth)**
- 9494 **Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)**
- 3793 **Input shaft (slipper shaft) / spring pin**
- 2381X **Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)**
- 1552 **Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
- 2382 **Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel**
- 2388X **Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)**
- 9495 **Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
- 5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
- 2554 **Screws, 3x6mm caphead machine (hex drive) (6)**
- 3931 **Screws, 3x8mm flat-head machine (hex drive) (6)**
- 1647 **Silicone Grease**
- 5556 **Slipper pressure plate & hub (aluminum alloy)**
- 3195 **Top drive gear, steel (22-tooth)**
- 3695 **Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**

Traxxas Tools

- 3433X **Body reamer (aluminum handle)**
- 3433 **Body reamer (plastic handle)**
- 3436 **Cap, body reamer**
- 3432 **Scissors, curved tip**
- 3431 **Scissors, straight tip**
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8720 **Speed bit handle, large (overmolded)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM