



Rustler® 4X4 VXL (Model 67376-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6720	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
6710	Body reinforcement set (fits #6717 body)
6719	Body support/ 3x12mm CS (4)
6717	Body, Rustler® 4X4 (clear, requires painting)/ window, grille, lights decal sheet
6785-BLUE	Body, Rustler® 4X4 VXL, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717A	Body, Rustler® 4X4 VXL, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6785-GRN	Body, Rustler® 4X4 VXL, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717G	Body, Rustler® 4X4 VXL, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6785-ORNG	Body, Rustler® 4X4 VXL, orange (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717T	Body, Rustler® 4X4 VXL, orange (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717P	Body, Rustler® 4X4 VXL, pink (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6785X	Body, Rustler® 4X4 VXL, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
6717R	Body, Rustler® 4X4 VXL, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6785-RED	Body, Rustler® 4X4 VXL, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717X	Body, Rustler® 4X4 VXL, silver (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6718R	Body, Rustler® 4X4 VXL, Solar Flare (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6718X	Body, Rustler® 4X4, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6734G	Body, Rustler® 4X4, green & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6734T	Body, Rustler® 4X4, orange & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6734P	Body, Rustler® 4X4, pink & purple/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6734R	Body, Rustler® 4X4, red & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6718	Body, Rustler® 4x4, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
6728X	Skid plate, roof (body) (blue)/ 3x12mm CS (4)

6728G	Skid plate, roof (body) (green)/ 3x12 CS (4)
6728T	Skid plate, roof (body) (orange)/ 3x12 CS (4)
6728R	Skid plate, roof (body) (red)/ 3x12mm CS (4)
6728A	Skid plate, roof (body) (white)/ 3x12 CS (4)
6728	Skid plate, roof (body)/ 3x12mm CS (4)
6721	Wing, Rustler® 4X4 (black)/ 3x8 FCS (3)
6721X	Wing, Rustler® 4x4 (blue)/ 3x8 FCS (3)
6721G	Wing, Rustler® 4x4 (green)/ 3x8 FCS (3)
6721T	Wing, Rustler® 4x4 (orange)/ 3x8 FCS (3)
6721R	Wing, Rustler® 4x4 (red)/ 3x8 FCS (3)
6721A	Wing, Rustler® 4x4 (white)/ 3x8 FCS (3)

Center Driveline

7477	Cover, gear/ wire retainer
6780A	Differential kit, center (complete)
6780	Differential kit, center (complete) (aluminum carrier)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)
6765A	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)
6765R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	Motor mount, 6061-T6 aluminum (blue-anodized)
6782	Output gears, center differential, hardened steel (2)
7490	Plate, motor
7490G	Plate, motor, green
7490A	Plate, motor, orange
7490R	Plate, motor, red
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
1647	Silicone Grease
6878	Slipper clutch, complete (for Slash 4x4)
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)
6842X	Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Chassis & Attachments

6726X	Battery hold-down (3)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #6723R chassis with 162mm long battery compartment)
6724	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
6791	Bumper, front (assembled, LED lights installed) (fits 4WD Rustler®)
6736X	Bumper, front / bumper support (fits 4WD Rustler®) (for LED light kit installation)
6736	Bumper, front/ bumper support
6737X	Bumper, rear / bumper mount (fits 4WD Rustler®) (for LED light kit installation)
6737	Bumper, rear/ bumper mount, rear
6723R	Chassis (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down)
6730X	Chassis brace kit, blue (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6730G	Chassis brace kit, green (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6730A	Chassis brace kit, orange (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6730R	Chassis brace kit, red (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6776	Wheelite bar

Differential Components

5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
6788	Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6789	Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6881	Housings, differential, front
6880	Housings, differential, rear
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)
6765A	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)
6765R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
3981	PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
2754	Stub axle pins (4)
9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
5452X	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)

Extreme HD Upgrade Kit

9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black
9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue
9080-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
9080G	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green
9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange
9080R	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red
9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)

Page 3 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67376-4) Parts List

9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)	9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)	9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)	6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)	6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)

Front Suspension & Steering

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)

6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Hardware

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642	Attachment screws, shock (3x12mm shoulder screws) (6)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
5525	Rod ends (12)/ hollow balls (12)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
3929	Screws, 4x18mm button-head machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

6588	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
6797	Bumper, front (with LED lights) (replacement for #6736 front bumper)
6541X	Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
6795	LED light set, complete (includes bumper with LED lights, roof skid plate with LED lights, 3-volt accessory power supply, and power tap connector (with cable) (fits #6717 body)
6793	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 4WD Rustler®)
6796	Skid plate, roof (body) (with LED lights) (fits #6717 body)
2263	Y-harness, BEC to LED light set

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL-2s™
6790	Gear adapters, fixed, Rustler® 4x4
2072A	Gear set (for 2070, 2075 servos)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)

Page 4 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67376-4) Parts List

2272	Gear set, metal (for 2270 waterproof servo)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
3458	Heat sink (fits #3351R and #3461 motors)	6562	Mount, telemetry expander (requires #6730 chassis brace kit)
3354R	Motor cover, endbell (Velineon® 3500)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
7460R	Motor mount, 6061-T6 aluminum (blue-anodized)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)	6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
7490	Plate, motor	6526	Sensor, auto-detectable, temperature
7490G	Plate, motor, green	6527	Sensor, auto-detectable, voltage
7490A	Plate, motor, orange	6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
7490R	Plate, motor, red	6521	Sensor, temperature and voltage (long)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	2271	Servo case/ gaskets (for 2270 waterproof servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2271	Servo case/ gaskets (for 2270 waterproof servo)	2075	Servo, digital high-torque (ball bearing), waterproof
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)	6540	Telemetry trigger magnet, 5X2mm (1)

Radio System, Batteries & Chargers

2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	AA 4PK
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)

Ready-To-Race Model

67376-4	Rustler® 4X4 VXL: 1/10 Scale Stadium Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM®)
---------	--

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

Page 5 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67376-4) Parts List

9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7466A	Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7466R	Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R	Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469	Rod ends (GTR shocks)
7464T	Shaft, GTR long, TiN-coated (2)
7465T	Shaft, GTR xx-long, TiN-coated (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X	Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)

7462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
5475	Multi-tool (plastic)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)

Page 6 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67376-4) Parts List

6858	Springs, rear (white) (progressive rate) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
6893X	Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2) 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
6878	Slipper clutch, complete (for Slash 4x4)
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

7477	Cover, gear/ wire retainer
6790	Gear adapters, fixed, Rustler® 4x4
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
7438	Linkage, steering
2742X	Rod ends, short (6)/ hollow balls (6)

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
4175	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)

Page 7 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67376-4) Parts List

6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	5525	Rod ends (12)/ hollow balls (12)
6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
6769	Tires, Talon EXT 2.8" (2)/ foam inserts (2)	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)	5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
6772	Wheels, RXT 2.8" (black) (2)		

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM